


NOTES:

1. RFU-R# - RUDDER FEEDBACK UNIT RECEPTACLE No.
2. QUICK DISCONNECT, WATER RESISTANT PLUGS (WITH STRAIN RELIEF) SUPPLIED BY JASTRAM.
3. LEAVE 4 INCHES CLEARANCE FROM EACH RECEPTACLE FOR CABLES.
4. LEAVE CLEARANCE FOR COVER REMOVAL AND ACCESS TO INTERIOR.
5. SEE RFU MOUNTING ARRANGEMENT AND ALLOW CLEARANCE FOR ARM TO SWING FROM HARDOVER TO HARDOVER.
6. TIE ROD END JAM NUTS MUST BE USED AS SHOWN TO PREVENT LOOSENING OF RFU ARM.

ALL DRAWINGS, TECHNICAL DATA AND INTELLECTUAL INFORMATION ARE PROPERTY OF JASTRAM ENGINEERING LTD. THEY ARE NOT TO BE COPIED, DUPLICATED OR USED WITHOUT THE WRITTEN CONSENT OF JASTRAM ENGINEERING LTD.

TOLERANCES: (UNLESS SPECIFIED OTHERWISE)			
X.X	+/- 0.1	FRACTION	+/- 1/64
X.XX	+/- 0.01	ANGULAR	+/- 0.5 DEG.
X.XXX	+/- 0.005	SURFACE FINISH	✓
ALL DIMENSIONS IN INCH(mm)			

REV.	DATE	DRAWING/DESIGN CHANGE No.	BY
			
JASTRAM ENGINEERING LTD. 467 Mountain Highway North Vancouver, B.C. Canada V7J 2L3 Tel.: (604) 986-0714 Fax: (604) 986-0334			
DATE: 04-03-97	SCALE: N.T.S.	DRAWN: G.T.	APPR.
TITLE: RUDDER FEEDBACK UNIT (RFU 1300) O.A.D.			DRAWING NUMBER: C-721104