

NOTES:


1. CABLE GLANDS (SUPPLIED BY JASTRAM) ACCEPT CABLE JACKET DIAMETERS BETWEEN 1/4" (6mm) TO 1/2" (13mm).
2. SEE RFU MOUNTING ARRANGEMENT FOR ARM LINKAGE DETAILS AND ENSURE ARM CAN SWING FROM HARDOVER TO HARDOVER.
3. FEEDBACK UNIT BODY CAN BE MOUNTED AT ANY ORIENTATION WITH RESPECT TO ARM.
4. LEAVE 4 INCHES CLEARANCE FROM EACH GLAND FOR CABLES.
5. LEAVE CLEARANCE FOR REMOVAL OF COVERS AND ACCESS TO INTERIOR.
6. TIE ROD END JAM NUTS MUST BE USED AS SHOWN TO PREVENT LOOSENING OF RFU ARM.

ALL DRAWINGS, TECHNICAL DATA AND INTELLECTUAL INFORMATION ARE PROPERTY OF JASTRAM ENGINEERING LTD. THEY ARE NOT TO BE COPIED, REPRODUCED OR USED WITHOUT THE WRITTEN CONSENT OF JASTRAM ENGINEERING LTD.

TOLERANCES: (UNLESS SPECIFIED OTHERWISE)

XX	+/- 0.1	FRACTION	+/- 1/64
XXX	+/- 0.01	ANGULAR	+/- 0.5 DEG.
XXXX	+/- 0.005	SURFACE FINISH	✓

ALL DIMENSIONS IN INCH(MM)

REV.	DATE	DRAWING/DESIGN CHANGE No.	BY
			
DATE: 03-08-01 03/07		SCALE: N.T.S.	DRAWN: G.C. APPR:
TITLE: RUDDER FEEDBACK UNIT (RFU 2000) O.A.D.			JASTRAM ENGINEERING LTD 487 Mountain Highway North Vancouver, B.C. Canada V7J 2L3 Tel: (604) 885-0714 Fax: (604) 985-0334
DRAWING NUMBER:			C-721147